

## MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION								
NFPA Rating: Health-2; Flammability-2; Reactivity-0; Special--			HMIS Rating: Health-2; Flammability-2; Reactivity-0; Personal Protection-B					
Manufactured For: Hillyard Industries, Inc.			DOT Hazard Classification: ORM-D					
Address: 302 N. 4 <sup>th</sup> Street			Identity (trade name as used on label):					
Address: St. Joseph, MO 64501			OIL STAINLESS STEEL CLEANER Part #HIL0103454					
Phone: (816)-233-1321 ext. 8285 or http://www.hillyard.com			MSDS Number: A00141		Revision: 16			
EMERGENCY RESPONSE NUMBER: Chemtrec 1-800-424-9300			Date Prepared: 08/20/08		Prepared By: LF/IB			
NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA			Information Calls: (770)422-2071					
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION								
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)				CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
PETROLEUM DISTILLATE				64742-52-5	No	5mg/M3	5mg/M3	d
PETROLEUM DISTILLATE				64742-47-8	No	100	100	d
ISOBUTANE / PROPANE BLEND				75-28-5	No	800	800	d
				74-98-6	No	1000	1000	d
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS								
Boiling Point: N/A			Specific Gravity (H <sub>2</sub> O=1): Concentrate Only = .856					
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A					
Vapor Density (Air = 1): N/E			Evaporation Rate ( = 1): N/E					
Solubility in Water: Insoluble			Water Reactive: No					
Appearance and Odor: Clear liquid, lemon fragrance.								
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA								
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) FLAMMABLE >18 inches			Auto Ignition Temperature N/E		Flammability Limits in Air by % in Volume:			
					% LEL: N/E % UEL: N/E			
FLASH POINT AND METHOD USED (non-aerosols): N/A			EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide.					
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.								
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.								
SECTION 4 - REACTIVITY HAZARD DATA								
STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE			HAZARDOUS POLYMERIZATION <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR					
Incompatibility (Mat. to avoid): Strong oxidizers.			Conditions to Avoid: Open flame, welding arcs, heat, sparks.					
Hazardous Decomposition Products: CO, CO <sub>2</sub> .								
SECTION 5 - HEALTH HAZARD DATA								
PRIMARY ROUTES OF ENTRY: <input checked="" type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> SKIN ABSORPTION <input checked="" type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS								
ACUTE EFFECTS								
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.								
Eye Contact: Mild irritation.			Skin Contact: Mild irritation due to defatting of the skin.					
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.								
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause cardiac abnormality, liver abnormalities, lung and kidney damage.								
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.								
EMERGENCY FIRST AID PROCEDURES								
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.								
Skin Contact: Wash with soap and water. If irritated, seek medical attention.								
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.								
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.								
SECTION 6 - CONTROL AND PROTECTIVE MEASURES								
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH for organic vapor.								
Protective Gloves: Polyethylene gloves			Eye Protection: Safety glasses recommended.					
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.								
Other Protective Clothing & Equipment: Eyewash station if desired.								
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.								
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE								
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. DO NOT FLUSH TO SEWER.								
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.								
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.								
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition sources.								

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only