

Material Safety Data Sheet**Product Name:** TEMPERA(R)/POSTER PAINT**Product Family:****1. Chemical Product and Company Identification**

BINNEY & SMITH
 1100 CHURCH LANE
 EASTON, PA 18044
 1-800-272-9652

EMERGENCY TELEPHONE NUMBER:
 1-800-445-7067

SUBSTANCE: TEMPERA(R)/POSTER PAINT

TRADE NAMES/SYNONYMS:

PRODUCT COLORS/CODES: #1900 SERIES; PRODUCT COLORS/CODES: 101 LIGHT YELLOW;
 PRODUCT COLORS/CODES: 102 YELLOW; PRODUCT COLORS/CODES: 103 YELLOW ORANGE;
 PRODUCT COLORS/CODES: 104 ORANGE; PRODUCT COLORS/CODES: 105 RED ORANGE;
 PRODUCT COLORS/CODES: 106 VERMILION; PRODUCT COLORS/CODES: 107 RED; PRODUCT
 COLORS/CODES: 108 DARK RED; PRODUCT COLORS/CODES: 109 MAGENTA; PRODUCT
 COLORS/CODES: 126 LIGHT BROWN; PRODUCT COLORS/CODES: 111 VIOLET; PRODUCT
 COLORS/CODES: 112 BLUE VIOLET; PRODUCT COLORS/CODES: 114 BLUE; PRODUCT
 COLORS/CODES: 115 DARK BLUE; PRODUCT COLORS/CODES: 116 TURQUOISE; PRODUCT
 COLORS/CODES: 117 BLUE GREEN; PRODUCT COLORS/CODES: 118 DARK GREEN; PRODUCT
 COLORS/CODES: 119 GREEN; PRODUCT COLORS/CODES: 121 YELLOW GREEN; PRODUCT
 COLORS/CODES: 127 YELLOW BROWN; PRODUCT COLORS/CODES: 130 BLACK; PRODUCT
 COLORS/CODES: 510 FLUORESCENT YELLOW; PRODUCT COLORS/CODES: 520 FLUORESCENT
 ORANGE; PRODUCT COLORS/CODES: 540 FLUORESCENT RED; PRODUCT COLORS/CODES: 560
 FLUORESCENT MAGENTA; PRODUCT COLORS/CODES: 570 FLUORESCENT BLUE; PRODUCT
 COLORS/CODES: 580 FLUORESCENT GREEN; PRODUCT COLORS/CODES: 110 RED VIOLET;
 TEMPERA/POSTER PAINT; BNSS073

PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 17 1997

REVISION DATE: Jun 02 1999


2. Composition, Information on Ingredients

COMPONENT: Product has been certified as non-toxic by The Art and Creative
 Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for
 Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EC CLASSIFICATION (CALCULATED): Not determined.

EMERGENCY OVERVIEW:

COLOR: various colors

PHYSICAL FORM: liquid

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA: N

NTP: N

IARC: N

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT: It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

TEMPERA(R)/POSTER PAINT:

No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

COLOR: various colors

ODOR: Not available

BOILING POINT: Not available

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Not available

SPECIFIC GRAVITY: Not available

WATER SOLUBILITY: Not available

PH: Not available

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Y

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): N

SARA SECTION 302 (40CFR355.30): N

SARA SECTION 304 (40CFR355.40): N

SARA SECTION 313 (40CFR372.65): N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE: N

CHRONIC: N

FIRE: N

REACTIVE: N

SUDDEN RELEASE: N

OSHA PROCESS SAFETY (29CFR1910.119): N

STATE REGULATIONS:

California Proposition 65: N

EUROPEAN REGULATIONS:

EC NUMBER: Not assigned.

16. Other Information

COPYRIGHT 1984-2000 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

Material Safety Data Sheet

Product Name: TEMPERA(R)/POSTER PAINT

Product Family:

1. Chemical Product and Company Identification

BINNEY & SMITH
1100 CHURCH LANE
EASTON, PA 18044
1-800-272-9652

EMERGENCY TELEPHONE NUMBER:
1-800-445-7067

SUBSTANCE: TEMPERA(R)/POSTER PAINT

TRADE NAMES/SYNONYMS:

PRODUCT COLORS/CODES: #1900 SERIES; PRODUCT COLORS/CODES: 132 GRAY;
TEMPERA/POSTER PAINT; BNSSS182

PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 18 1997

REVISION DATE: Jun 02 1999

2. Composition, Information on Ingredients


COMPONENT: Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification



NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EC CLASSIFICATION (CALCULATED): Not determined.

EMERGENCY OVERVIEW:

COLOR: gray

PHYSICAL FORM: liquid

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA: N

NTP: N

IARC: N

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT: It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

TEMPERA(R)/POSTER PAINT:

No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

COLOR: gray

ODOR: Not available

BOILING POINT: Not available

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Not available

SPECIFIC GRAVITY: Not available

WATER SOLUBILITY: Not available

PH: Not available

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Y

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): N

SARA SECTION 302 (40CFR355.30): N

SARA SECTION 304 (40CFR355.40): N

SARA SECTION 313 (40CFR372.65): N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE: N

CHRONIC: N

FIRE: N

REACTIVE: N

SUDDEN RELEASE: N

OSHA PROCESS SAFETY (29CFR1910.119): N

STATE REGULATIONS:

California Proposition 65: N

EUROPEAN REGULATIONS:

EC NUMBER: Not assigned.

16. Other Information

COPYRIGHT 1984-2000 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

Material Safety Data Sheet

Product Name: TEMPERA(R)/POSTER PAINT

Product Family:

1. Chemical Product and Company Identification

BINNEY & SMITH
1100 CHURCH LANE
EASTON, PA 18044
1-800-272-9652

EMERGENCY TELEPHONE NUMBER:
1-800-445-7067

SUBSTANCE: TEMPERA(R)/POSTER PAINT

TRADE NAMES/SYNONYMS:

PRODUCT COLORS/CODES: #1900 SERIES; PRODUCT COLORS/CODES: 113 LIGHT BLUE;
PRODUCT COLORS/CODES: 120 EMERALD GREEN; PRODUCT COLORS/CODES: 131 WHITE;
TEMPERA/POSTER PAINT; BNSSS183

PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 18 1997

REVISION DATE: Jun 02 1999

2. Composition, Information on Ingredients


COMPONENT: Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification



NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EC CLASSIFICATION (CALCULATED): Not determined.

EMERGENCY OVERVIEW:

COLOR: various colors

PHYSICAL FORM: liquid

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA: N

NTP: N

IARC: N

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT: It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

TEMPERA(R)/POSTER PAINT:

No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use.
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

COLOR: various colors

ODOR: Not available

BOILING POINT: Not available

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Not available

SPECIFIC GRAVITY: Not available

WATER SOLUBILITY: Not available

PH: Not available

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Y

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): N

SARA SECTION 302 (40CFR355.30): N

SARA SECTION 304 (40CFR355.40): N

SARA SECTION 313 (40CFR372.65): N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE: N

CHRONIC: N

FIRE: N

REACTIVE: N

SUDDEN RELEASE: N

OSHA PROCESS SAFETY (29CFR1910.119): N

STATE REGULATIONS:

California Proposition 65: N

EUROPEAN REGULATIONS:

EC NUMBER: Not assigned.

16. Other Information

COPYRIGHT 1984-2000 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

Material Safety Data Sheet

Product Name: TEMPERA(R)/POSTER PAINT

Product Family:

1. Chemical Product and Company Identification

BINNEY & SMITH
1100 CHURCH LANE
EASTON, PA 18044
1-800-272-9652

EMERGENCY TELEPHONE NUMBER:
1-800-445-7067

SUBSTANCE: TEMPERA(R)/POSTER PAINT

TRADE NAMES/SYNONYMS:

PRODUCT COLORS/CODES: #1900 SERIES; PRODUCT COLORS/CODES: 123 BROWN; PRODUCT COLORS/CODES: 125 DARK BROWN; TEMPERA/POSTER PAINT; BNSSS184

PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 18 1997

REVISION DATE: Jun 02 1999

2. Composition, Information on Ingredients


COMPONENT: Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification



NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EC CLASSIFICATION (CALCULATED): Not determined.

EMERGENCY OVERVIEW:

COLOR: brown

PHYSICAL FORM: liquid

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA: N

NTP: N

IARC: N

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT: It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

TEMPERA(R)/POSTER PAINT:

No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use.
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid
COLOR: brown
ODOR: Not available
BOILING POINT: Not available
FREEZING POINT: Not available
VAPOR PRESSURE: Not available
VAPOR DENSITY: Not available
SPECIFIC GRAVITY: Not available
WATER SOLUBILITY: Not available
PH: Not available
VOLATILITY: Not available
ODOR THRESHOLD: Not available
EVAPORATION RATE: Not available
COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Y

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): N

SARA SECTION 302 (40CFR355.30): N

SARA SECTION 304 (40CFR355.40): N

SARA SECTION 313 (40CFR372.65): N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE: N

CHRONIC: N

FIRE: N

REACTIVE: N

SUDDEN RELEASE: N

OSHA PROCESS SAFETY (29CFR1910.119): N

STATE REGULATIONS:

California Proposition 65: N

EUROPEAN REGULATIONS:

EC NUMBER: Not assigned.

16. Other Information

COPYRIGHT 1984-2000 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.