Material Safety Data She			eet Series: 0710AC 1213222, 0720AC 1213214				
MSDS # 0081				NFPA Rating: HMIS Rating: 1-0-0 1-0-0-B			
	SECTION I			EM		CY TELE NO.	PHONE
TRADE NAME (IF NONE, PUT CHEMICAL)	ACE Hardware 50 Year Silic	ACE Hardware 50 Year Silicone Sealant – Fed Spec (918) 825-5744 (24 H		Hrs.)			
MANUFACTURER'S NAME AND TELEPHONE NO.	Red Devil, Incorporated	(918	8) 825-5744	I			
ADDRESS (Number, Street, City, State, Zip Code)	4175 Webb Street, Pryor, O	klahoma 743	361				
SECTION	II - HAZARDOUS	INGRED	IENTS	%	TLV	PEL	UNITS
Silica** [7631-86	5-9] (as Amorphous silica, tota	l dust)		11	20	20	mg/m3
Dimethylsiloxane, hydroxy-terminated (70131-67-8)			< 60	NE	NE		
Ethyltriacetoxysilane*** (17689-77-9)			2	NE	NE		
	silane*** [4253-34-3]			2	10	10	ppm
Polydimethylsibxane (63148-62-9)			1 - 5	10	10	ppm	
Titanium dioxide** (in white product only) - (as nuisance particulate, total)[13463-67-7]			2	10	15	mg/m3	
Non-hazardous ingredients*			>75	NA	NA		
*Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910). **Inhalation of particulates unlikely due to product's physical state ***Observe limits for acetic acid, formed during curing on exposure to water or humid air. VOC: 3.1%/wt, CARB Compliant: YES, Prop 65: NONE							
	SECTION	III - PH	YSICAL D	ΑΤΑ			
BOILING POINT (°F)	NE	NE SPE		.0=1)	1.03		
VAPOR PRESSURE (MM Hg.)	NE		PERCENT VOLATILES BY VOLUME (%)		1.0 to 1.5 by wt.		wt.
VAPOR DENSITY (AIR=1)	>1		рН		NE		
SOLUBILITY IN WATER	Insoluble		EVAPORATION RATE	te NA			
APPEARANCE AND ODOR	Thick liquid/sealant consiste	ency; slight v	inegar odor				
SI	ECTION IV - FIRE	AND EX	PLOSION	HAZAR	D DA1	ГА	
FLASH POINT (Method used)	>200°F	FLAMMABLE LIMITS			LEL	NE	IEL NE
EXTINGUISHING MEDIA	Carbon dioxide or foam						
SPECIAL FIRE FIGHTING PROCEDURES	No special proœdures required.						
UNUSUAL FIRE AND EXPLOSION HAZARDS	None known						

NA - Not Applicable

NE - Not Established

UN - Unavailable

SECTION V - HEALTH HAZARD INFORMATION

SYMPTOM/EFFECTS OR OVEREXPOSURE

Eye, nose and throat irritation. Possible skin irritation.

F	IRS	Т	AI	D

Immediately flush eyes with large amounts of water while holding the eyelids open. Get medical attention if irritation persists.

SKIN

EYES

Wipe material from skin with cloth or paper towel, then wash exposed area with soap and water. Get medical help if irritation persists.

INHALATION

Move victim to fresh air. Get medical help if irritation persists.

INGESTION

Contact local poison control center or physician IMMEDIATELY!

SECTION VI - REACTIVITY DATA

STABILITY

Normally stable. Avoid extreme heat

INCOMPATIBLE MATERIALS

Moisture will release acetic acid vapor

HAZARDOUS DECOMPOSITION PRODUCTS

Silicon dioxide, Carbon monoxide, Carbon dioxide, traces of formaldehyde

SECTION VII - SPILL OR LEAK PROCEDURES

PROCEDURES

Wear personal protective equipment (See Section VIII). Clean up with absorbent material.

WASTE DISPOSAL METHOD

Dispose of according to Local, State, and Federal regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY

Not normally required. If TLV is exceeded, or for symptoms of overexposure, wear a NIOSH-approved respirator for organic vapors.

EYEWEAR Wear safety glasses.

CLOTHING/GLOVES

Not normally required; in situations of extended skin contact, neoprene or other chemical resistant gloves are recommended.

VENTILATION

Local exhaust may be necessary under some handling/use conditions.

SECTION IX - SPECIAL PRECAUTIONS

Store in a closed container in dry area. NOTE: Do not wear contact lenses while applying this material, as acetic acid vapor may become trapped under lenses. This product does not contain ingredients listed in Section 313 of SARA Title III and 40 CFR 372.65. This product does not contain carcinogens (at 0.1% or greater) as defined by IARC, NTP or OSHA. PROPER SHIPPING NAME: N/A, HAZARD CLASS: N/A, UN/NA NUMBER: N/A, PACKING GROUP: N/A.

Reviewed By	Larry G. Brandon	VP Technology & General Manager	January 31, 2006
-	NAME	TITLE	Date

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.